RESIDENTIAL GARAGE DOOR

# *Opener Guide*

Smart technology.
Innovative features.
Easy programming.

**The Genuine. The Original.**

OVERHEAD DOOR®

# SMART TECHNOLOGY FOR YOUR GARAGE

OHD ANYWHERE®
SMART DEVICE ENABLED GARAGE DOOR CONTROLLER

The OHD Anywhere® system allows you to control and monitor your sectional garage door from almost anywhere. Controlled through the free app on Google Play or Apple App Store®, this technology is available as an integrated feature in certain Overhead Door® garage door openers or as an external kit. The kit allows homeowners to retrofit any Overhead Door® opener or most other brands made after 1993 with functioning safety photo eyes. It comes equipped with extensive time-based rules and notification features, allowing account holders to easily customize based on their needs and manage accessibility for each add-on user.

## Product features

- Control and monitor the state of your garage door from anywhere with your smart device
  - Compatible with most iOS and Android mobile devices
  - Allows monitoring through the OHD Anywhere® app as to whether the door is opened or closed by the opener
- Remote access control system with fast and easy set-up
- Ability to know if an authorized user is operating the door with the OHD Anywhere® app
  - Maintains access history report for each opener
- UL 325 compliant – audible and visual signals before door moves when operated from smart device
- Use the OHD Anywhere® app to control any combination of 20 different Overhead Door® Wi-Fi integrated garage door openers or external OHD Anywhere® kits

## Virtual keys

- Create a virtual key to grant temporary or permanent access to relatives, friends, or service workers – up to 20 total users

## Time-based features

- Set the door to automatically close at a specific time each day
- Program to automatically close the garage door after a set time frame of continuously being open

## Note

External kit compatible with all Overhead Door® and most other residential garage door opener brands that use photo-eye sensors. Visit **overheaddoor.com/ohdanywhere** for compatibility details.

## Compatible with:

WORKS WITH alexa
works with Google Assistant
ALARM.COM
BenchSentry™ Hide it. Secure it. Watch it.
clare
URC
PLAYS WITH YONOMI
Control4
SmartThings

Scan for a complete list of smart home system partners.

# *Infinity™ 2000*

SAFE-T-PULSE™ TECHNOLOGY

## Quiet, powerful and compact wall mount design

### MODEL 9120H/9120H-B — Direct drive wall mount

- **Integrated Wi-Fi with OHD Anywhere®**
- **Safe-T-Pulse™ System –** Patent-pending system using electronic pulses during initial door travel to detect slack cables & stop unsafe operation if necessary.
- 24V DC motor
- Opening speed: Up to 7.5 in/second†
- LED light fixture included
- Limited Lifetime motor warranty
- For residential sectional doors up to 14′ high and 850 lbs
- CodeDodger® access security system
- Includes door lock
- 6′ power cord standard
- Available without Integrated Wi-Fi. Order Model 9020H/9020H-B
- Available in black or gray
- **Can be ordered with (9120H-B) or without (9120H) integrated battery backup**

OHD ANYWHERE®

Model 9120H-B

LED light fixture

# *Destiny® 1500*

## Power, speed, intelligence and convenience

### MODEL 8160H/8160H-B — Direct screw drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 140V DC motor
- Opening speed: Up to 12.0 in/second†
- Limited lifetime motor and screw drive rail warranty *
- For residential sectional doors up to 14′ high; one-piece doors up to 8' high
- Motion detector lighting
- Bright lighting with capacity for (2) OHD LED Bulbs (recommended); or 100 watt incandescent or CFL bulbs
- CodeDodger® access security system
- Available for use with heavy-duty rail
- 6′ power cord standard
- Available without Integrated Wi-Fi. Order Model 8060H/8060H-B
- **Can be ordered with (8160H-B) or without (8160H) integrated battery backup**

OHD ANYWHERE®

† +/- 0.5" per second

* See Operation and Maintenance Manual for details

# *Destiny® 1200*

## Quiet yet powerful with the ultimate in convenience

### MODEL 8130H/8130H-B — Belt or chain drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 140V DC motor
- Opening speed: up to 9.0 in/second†
- Limited lifetime motor and gearbox warranty *
- For residential sectional doors up to 14’ high; one-piece doors up to 8' high
- Motion detector lighting
- Bright lighting with capacity for (2) OHD LED Bulbs (recommended); or 100 watt incandescent or CFL bulbs
- CodeDodger® access security system
- Available for use with heavy-duty rail
- 6’ power cord standard
- **Can be ordered with (8130H-B) or without (8130H) integrated battery backup**

# *Odyssey® 1000*

## Quiet yet powerful performance

### MODEL 7130H/7130H-B — Belt or chain drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 140V DC motor
- Opening speed: Up to 7.5 in/second†
- Limited lifetime motor and gearbox warranty*
- For residential sectional doors up to 14’ high; one-piece doors up to 8' high
- Bright lighting with capacity for (2) OHD LED Bulbs (recommended); or 100 watt incandescent or CFL bulbs
- CodeDodger® access security system
- Available for use with heavy-duty rail
- 6’ power cord standard
- Available without Integrated Wi-Fi. Order Model 7030H/7030H-B
- **Can be ordered with (7130H-B) or without (7130H) integrated battery backup**

† +/- 0.5” per second

* See Operation and Maintenance Manual for details

# *Legacy® 950*

## Flexible platform with power and reliability

### MODEL R7120HL/R7120H-B

Belt or chain drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 24V DC motor provides quiet operation
- Opening speed: Up to 7.0 in/second†
- Limited Lifetime motor and integrated gearbox limited warranty*
- For residential sectional doors up to 10' high
- C-channel rail for strength and aesthetics
- CodeDodger® access security system
- 6' power cord standard
- Available for use with heavy-duty rail
- **Integrated Battery Backup Included Model R7120HL-B**
- **Integrated 360° LED Lighting**

OHD ANYWHERE®

# *Legacy® 850*

## Power, value and reliability

### MODEL 2129/2129B — Belt or chain drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 24V DC motor
- Opening speed: Up to 7.0 in/second†
- 10 year motor and integrated gearbox limited warranty*
- For residential sectional doors up to 10' high
- DC motor for quiet operation and lighter handling
- Standard lighting with capacity for (1) OHD LED Bulb (recommended); 60 watt incandescent or CFL bulb
- C-channel rail for strength and aesthetics
- CodeDodger® access security system
- Available for use with heavy-duty rail
- Available without Integrated Wi-Fi. Order Model 2029/2029B
- **Can be ordered with (2129B) or without (2129) optional battery backup at time of purchase only. Battery cannot be added later.**

OHD ANYWHERE®

# *Legacy® 650*

## Value and reliability

### MODEL 1129/1129B — Belt or chain drive

- **Integrated Wi-Fi with OHD Anywhere®**
- 24V DC motor
- Opening speed: Up to 6.5 in/second†
- 5 year motor and integrated gearbox limited warranty*
- For residential sectional doors up to 8' high
- DC motor for quiet operation and lighter handling
- Standard lighting with capacity for (1) OHD LED Bulb (recommended); or 60 watt incandescent or CFL bulb
- C-channel rail for strength and aesthetics
- CodeDodger® access security system
- Available for use with heavy-duty rail
- Available without Integrated Wi-Fi. Order Model 1029/1029B
- **Can be ordered with (1129B) or without (1129B) optional battery backup at time of purchase only. Battery cannot be added later.**

OHD ANYWHERE®

† +/- 0.5" per second  * See Operation and Maintenance Manual for details

## LIGHT BULBS

### Garage door opener LED bulb

Common LED and CFL bulbs can emit interference to limit the range of garage door remotes. Incandescent light bulbs, which are being phased out due to energy inefficiency, can have their lives shortened by vibration associated with opener operation. The Overhead Door™ LED bulb solves these and other problems to ensure the garage door opener light doesn't leave your garage in the dark!

40656R

- 25,000 hour life
- Cold weather tested
- Damp location rated

## REMOTES AND CONTROLLERS

### 3-Button Remote Visor/Keychain Style

This remote with auto-seek dual frequency (315/390 MHz) allows you to operate up to 3 openers. It comes with a visor clip and can be used with a key ring. Backward compatible with all CodeDodger® equipped Overhead Door® openers.

37219R

### 1-Button Remote Visor/Keychain Style

If the remote only needs to operate one opener, you may want our simple, easy-to-use one-button remote. Also features auto-seek dual frequency. Backward compatible with all CodeDodger® equipped Overhead Door® openers.

38502R

### Multiple Visor Style Remote Options

These remotes feature large buttons with great tactile feel and a clearly visible LED. Multi-directional visor clip lets you decide how the remote will fit on the visor. These remotes use auto-seek dual frequency and are backwards compatible with all CodeDodger ® equipped Overhead Door® openers.

41539U

41539T

41539S

41539R

**California Residents:**
As required by California State Law SB-969, all newly installed openers must have battery backup as of 07/01/2019.

## KEYPAD AND WALL CONSOLES

### Wireless Wall Console

No need to have an additional wired wall console. The delay button allows a user an extra 10 to 30 seconds to exit before the door begins to move.

39903R

### Wired Wall Console with Motion Detection

This device includes motion detection lighting and a delay button that helps you exit the garage safely. Compatible with openers made after August 2025.

42609S

### Multi-function Wired Wall Console

Featuring large push buttons for easy operation, this wired wall console also has our Sure-Lock™ button to disable the remotes and keypad for extra security at night or while away from home.

39166R

### Digital Wireless Keypad

The wireless keypad provides convenient and secure garage access without the need for a remote or key. This is an ideal secure access solution for kids returning from school, when working on exterior home projects or when going out for a jog. Also uses auto-seek dual frequency. (315/390 MHz) Choose a color for the flip-up cover that best complements your home.

White
42683R

Gray
42687R

Almond
42689R

Tan
42685R

42369R

## UNIVERSAL SERIES PRODUCTS

### 4-Button Universal Remote

This 4-button universal remote works with most major garage door openers and gate receiver brands in the industry! Each button can be programmed individually of the others to multiple manufacturer combinations. Visor clip or key chain option inside every box.

40660R

### Universal Wireless Wall Console

Controls multiple openers from a variety of manufacturers on a single wireless console. Works with most major rolling and fixed code brands in the USA. Easy programming modes and absolutely no wires required for operation.

41552R

### Universal Wireless Keypad

Works with most major rolling and fixed code brands sold in the USA. Control three different garage door openers with a single PIN.

41250R

## SAFETY DEVICES

### Battery Backup Options

Our battery backup options provide reliable operation when there is a power outage.

Infinity® 2000

Battery Backup Option

41152S

Destiny® 1200, Destiny® 1500, Odyssey® 1000

41590R

### Safe-T-Beam® Photo Eyes

Backward compatible with all Overhead Door® residential openers that use a sensor system on any door size. Rounded design helps prevent wayward objects from accidentally knocking them out of alignment.

37221R

## GARAGE DOOR STYLES

### Modern

Upgrade your home's curb appeal with sleek and efficient modern garage doors. Featuring contemporary designs and smart technology integration, these doors seamlessly blend style with convenience for the ultimate in functionality and aesthetic appeal.

### Carriage House

Carriage house garage doors are reminiscent of old-world charm and craftsmanship. Their distinctive design, often featuring intricate details and hardware, adds a touch of sophistication to any home's exterior.

### Wood Plank

Wood plank garage doors deliver digitally printed finishes that mimic real wood grain. With their timeless appeal and versatile design options, they effortlessly blend tradition with modern looks, enhancing the curb appeal of any home.

### Classic Doors

Classic garage doors, with their timeless charm and sturdy construction, evoke a sense of nostalgia while offering reliable security for homes. Their traditional design adds character to any property, blending seamlessly with various architectural styles.

# RESIDENTIAL GARAGE DOOR OPENER MODELS AND FEATURES

**The Genuine. The Original.**

OVERHEAD DOOR®

| FEATURES | INFINITY™ 2000<br>MODELS 9120H/9120H-B<br>9020H/9020H-B | DESTINY® 1500<br>MODELS 8160H/8160H-B<br>8060H/8060H-B | DESTINY® 1200<br>MODELS 8130H/8130H-B |
|---|---|---|---|
| Drive system | Wall Mount | Direct drive screw[Δ] | Belt or chain[ΔΔ] |
| Motor | 24V DC | 140V DC | 140V DC |
| Maximum door weight[†] | 850 lbs | 750 lbs | 750 lbs |
| Integrated Wi-Fi with OHD Anywhere® | √ (9120H/9120H-B) | √ (8160H/8160H-B) | √ |
| Battery Backup | √ (9120H-B) | √ (8160H-B/8060H-B) | √ (8130H-B) |
| Drive gear | Direct shaft couple | N/A | Gearbox integrated with motor |
| Maximum speed | 7.5"/second* | 12.0"/second* | 9.0"/second* |
| Soft start – soft stop | √ | √ | √ |
| Auto seek dual frequency (315 or 390 MHz) | √ | √ | √ |
| DoorDetect™ | √ | √ | √ |
| Power on demand | No | √ | √ |
| Power cord standard length | 6' | 6' | 6' |
| **RAIL AND HEIGHTS** | | | |
| Sectional doors – max height | 14' | 14' | 14' |
| One piece doors – max height | N/A | 8' | 8' |
| Rail type | N/A | C-channel | C-channel |
| Rail sizes (14'-12' are 2-piece rails, all others 1-piece) | N/A | 14-12-10-8-7 | 14-12-10-8-7 (9' - belt only) |
| Rail cut-down capability on jobsite | N/A | √ | √ |
| Common rail for reduced inventory | N/A | √ | √ |
| Rail shrink wrap color mode | N/A | Blue | Red-Belt / Black-Chain |
| **LIGHTING** | | | |
| Light bulb count | External LED light fixture | 2 | 2 |
| Light positioned toward inside of garage | | √ | √ |
| Light bulb compatibility | | OHD LED recommended; Incandescent | OHD LED recommended; Incandescent |
| Max combined wattage for incandescent bulbs | | 200 (2-100W) | 200 (2-100W) |
| Light stays on for 4 min. upon activation | √ | √ | √ |
| Motion detector lighting | No | √ | √ |
| Integrated LED lighting | No | No | No |
| **HOMELINK®/CAR2U®** | | | |
| HomeLink® compatible | √ | √ | √ |
| Car2U® compatible | √ | √ | √ |
| **WARRANTY**** | | | |
| Motor | Limited lifetime | Limited lifetime | Limited lifetime |
| Rail | N/A | Limited lifetime | 15 year limited (belt) / 5 year limited (chain) |
| Parts | 5 year limited | 5 year limited | 5 year limited |
| Accessories | 1 year limited | 1 year limited | 1 year limited |
| **ACCESSORIES** | | | |
| STANDARD | | | |
| Remote (operates up to 3 doors except Models 1129 and 1029) | (1) 3-button | (1) 3-button | (1) 3-button |
| CodeDodger® access security system | √ | √ | √ |
| Pre-programmed remote | √ | √ | √ |
| Simple steps to change programming | √ | √ | √ |
| Wall console | Wireless Wall Console | Multi-function Wired Wall Console | Multi-function Wired Wall Console |
| Sure-Lock™ control | No | √ | √ |
| Safe-T-Beam® photo eyes | Rounded deflective design | Rounded deflective design | Rounded deflective design |
| OPTIONAL | | | |
| Garage door opener LED Bulb | N/A | √ | √ |
| Digital Wireless Keypad | √ | √ | √ |
| Battery Backup | √ | √ | √ |
| Heavy-duty Rail | N/A | √ | √ |

Δ Direct motor driven steel screw is self lubricating & requires no maintenance under normal operating conditions. ΔΔ Steel-reinforced belt or full-length chain.
[§]OHDAnywhere kit for 9020H includes internal circuit board to be inserted into powerhead.

| ODYSSEY® 1000 | LEGACY® 950 | LEGACY® 850 | LEGACY® 650 |
|---|---|---|---|
| MODEL 7130H/7130H-B 7030H/7030H-B | MODELS R7120HL R7120H-B | MODELS 2129/2129B 2029/2029B | MODELS 1129/1129B 1029/1029B |
| Belt or chain[ΔΔ] | Belt or chain[ΔΔ] | Belt or chain[ΔΔ] | Belt or chain[ΔΔ] |
| 140V DC | 24V DC | 24V DC | 24V DC |
| 750 lbs | 500 lbs | 500 lbs | 350 lbs |
| √(7130H/7130H-B) | √ | √ (2129/2129B) | √ (1129/1129B) |
| √ (7130H-B/7030H-B) | √ (R7120H-B) | √ (2129B/2029B) | √ (1129B/1029B) |
| Gearbox integrated with motor | Gearbox integrated with motor | Gearbox integrated with motor | Gearbox integrated with motor |
| 7.5″/second* | 7.0″/second* | 7.0″/second* | 6.5″/second* |
| √ | √ | √ | No |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| √ | No | No | No |
| 6′ | 6′ | 4′ (6′ model available) | 4′ (6′ model available) |
| | | | |
| 14′ | 10′ | 8′ | 8′ |
| 8′ | N/A | N/A | N/A |
| C-channel | C-channel | C-channel | C-channel |
| 14-12-10-8-7 (9′ - belt only) | 10-8-7 (9′ - belt only) | 10-8-7 (9′ - belt only) | 8-7 |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| Red-Belt / Black-Chain | Red-Belt / Black-Chain | Red-Belt / Black-Chain | Red-Belt / Black-Chain |
| | | | |
| 2 | 2 | 1 | 1 |
| √ | √ | √ | √ |
| OHD LED recommended; Incandescent | OHD LED recommended; Incandescent | OHD LED recommended; Incandescent | OHD LED recommended; Incandescent |
| 200 (2-100W) | 120 (2-60W) | 60 (1-60W) | 60 (1-60W) |
| √ | √ | √ | √ |
| No | √ | No | No |
| No | 360° Integrated LED Lighting | No | No |
| | | | |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| | | | |
| Limited lifetime | Limited lifetime | 10 year limited | 5 year limited |
| 15 year limited (belt) / 5 year limited (chain) | 15 year limited (belt) / 5 year limited (chain) | 15 year limited (belt) / 5 year limited (chain) | 15 year limited (belt) / 5 year limited (chain) |
| 5 year limited | 5 year limited | 1 year limited | 1 year limited |
| 1 year limited | 1 year limited | 1 year limited | 1 year limited |
| | | | |
| | | | |
| (1) 3-button | (1) 3-button | (1) 3-button | (1) 1-button |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| Multi-function Wired Wall Console | Motion Detection Wall Console | Multi-function Wired Wall Console | Push-button |
| √ | √ | √ | No |
| Rounded deflective design | Rounded deflective design | Rounded deflective design | Rounded deflective design |
| | | | |
| √ | √ | √ | √ |
| √ | √ | √ | √ |
| √ | √ | √ (2129B/2029) | √ (1129B/1029) |
| √ | √ | √ | √ |

* +/- 0.5″ per second. Speed will slow with one-piece doors if opener works with that type. ** See Operation & Maintenance Manual for details. † Door must be well counter-balanced.

## It's Time for a Dream Makeover

Let us help you create the perfect look for your home with **DoorDreamer®**, a visualizer tool to get you started on making that dream a reality!

DOORDREAMER® by Overhead Door

# Look for the Red Ribbon™

It's your guarantee that you're getting the best, from the brand that's been setting the standard for over a century.

*Model 5740, Flush panel, Black Plank finish, Narrow windows*

## The Genuine. The Original.

Since 1921, Overhead Door™ Brand has not only raised the standards of excellence for the garage door industry – we've created them. We pioneered the first sectional garage door and the first electric garage door opener, setting the bar for innovation and quality. Today, with a network of over 400 trusted Distributors, we continue to lead the way with cutting-edge solutions and unmatched service. When you choose Overhead Door™ Brand, you're choosing over 100 years of expertise, legacy, and trust.

SOLD AND DISTRIBUTED BY:

The Genuine. The Original.

OVERHEAD DOOR®

**1-800-929-DOOR | sales@overheaddoor.com | overheaddoor.com**

2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067

©2026 Overhead Door Corporation. Overhead Door is a trademark and Thermacore and the Red Ribbon Logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. R900-1112 05/26